

Z-Wave Vera set up

Assign your own Programming Code

1. Assign your own Programming Code. This code is important so that you can add your z-wave lock device to the Vera controller.

Enter Programming Code – default 12345678

Enter “ 4 ”

Enter the new Programming Code (8 digits)

Re-enter the new Programming Code (8 digits)

You have now successfully added your Programming Code.

To test the Programming Code, enter the new Programming Code, Enter “ 9 ”, the lock will open.

You may use the Z-wave lock normally without linking to the Vera Z-Wave IP network.

Set up your Z-Wave Lock to IP Network

1. Set up the Vera Controller as prompted. You will need to create an account on the Vera Website home.getvera.com.
2. When adding the Z-Wave Lock to the desktop application. You will need to select “Generic Z-Wave Device”

The screenshot shows the Vera web interface. On the left is a sidebar menu with the Vera logo at the top and the following items: Dashboard, Devices, Cameras, Scenes, Energy, Settings, Apps, Users & Account Info, and Logout. The main content area has a green header for 'Step 1: Select Your Device'. Below the header, it says 'Devices included in your Starter Solution are...' followed by a list of 'Additional Devices' with plus icons to the right of each item: Alarms, Thermostats, Energy, Dimmers and Lights, Security Cameras, Door Locks, Sensors, Hand Held, Other Devices, and Generic Z-Wave Device. At the top right of the main content area, there is a 'Welcome Josh' message, weather information (72°F, Mon 5:50:08 PM), and a 'Lock' button.

- When the desktop application is in “ enroll mode ” pictured below, enter the new programming code on the lock. Then press “ 0 ”.

Step 1: Select Your Device

Step 2: Pair Your Device

Follow the inclusion process as described in the users manual.

1 2 3

The light on the gateway should go off when the device is detected then it should stay off as long as the device is configuring. This means that the inclusion was successful.

If the device isn't detected in the next 60 seconds then click the Retry button below and repeat the steps in this wizard.



0:53

Retry

Successful Enrollment

- If enrolled successfully, you may now use the home.getvera.com software to control the lock remotely. You may also download the Vera App for smartphones.

Welcome Josh

84°F Lock
Thu 12:11:52 AM

View by:

Rooms

Type

List

+ Add Device

Click the star icon to select favorites

Front



LS-8015 Ver1.03


SUCCESS! Transmit was OK

100%



LOCKED

- Important note: To extend battery lifetime in KAS Lock, as well as to avoid disconnecting from Vera 3 / Lite please ensure that you have switched off polling or set a very long polling period for your KAS lock in Vera Z-Wave gateway. Please replace the default value of 150sec with either 0 (no polling) or 36000 (10 hours). You can do it in your KAS lock setting in the Vera interface, as per below screenshot.



A quick understanding of what you can do with the Vera controller is listed below.

- Pin code add/change/remove. You can also assign a name or ID to each Pin code
- NOTE: Pin codes must be 6 digits long only
- Entry logs – history of pin code access times and name/IDs.
- Open remotely – for one time access, lock will automatic lock after 8 seconds
- Set a one-time code – set a code that terminates after a selected date
- One should always test a code on the lock after programmed at the computer before issuing pin code credentials to other users.

Further Notes

It is **HIGHLY RECOMMENDED** that you read the following notes. So you can get an understanding of the how the IP Network works with the lock.

IP Network:

- The Vera controller must remain connected to your LAN network to be able to access the lock remotely
- If the Vera controller or Z-Wave network times-out, and the door is shut, the lock will remain locked. Having a small network malfunction will NOT open the lock.
- The speed of transactions in the Vera software will vary depending on service and strength of the Z-Wave signal. If a command failed to program, check the connection and try again.
- If the Z-Wave network has timed-out for short period, the codes that are currently set in the lock will still work at the lock face for access. However, the owner will NOT get Internet access to the lock for a short period.

Battery Life:

- If the batteries run flat on the lock, the lock will remain locked (if the door is shut). The lock is always dead latched, so swinging the door shut will keep the door locked.
- It is recommended to have the 2 mechanical keys provided handy in the instance of battery depletion. On the Vera software, the battery life meter is a good indication of depletion but may not represent true and realistic power usage behaviours.

NOTE:

KAS will reasonably assist with the descriptions and functionality of the lock but is not held responsible for networking or any other related issues when connecting, using and/or removing the lock from the Z-Wave Network and/or Vera controller.